


# LabelLocations



SRS CAUTION LABELS: Refer to page 1-6.



BATTERY CAUTION

COOLING FAN CAUTION

RADIATOR BLEED PLUG CAUTION

AIR CONDITIONER CAUTION

EXPANSION TANK CAP CAUTION

COOLANT CAUTION • PRECAUTION

SPARK PLUG CAUTION

TIRE INFORMATION

ALB CAUTION





ALB and BRAKE FLUID CAUTION

RETRACTABLE HEADLIGHT CAUTION

FAN CAUTION

EMISSION CONTROL INFORMATION and VACUUM HOSE ROUTING DIAGRAM

# Warning/Caution Label Locations



## A: CABLE REEL CAUTION A

**CAUTION:** **SRS**  
 BEFORE INSTALLING CABLE REEL

- CENTER THE FRONT WHEELS.
- ALIGN THE MARKS.
- READ SERVICE MANUAL.

## B: CABLE REEL CAUTION B

**CAUTION:** **SRS**  
 NO SERVICEABLE PARTS INSIDE; DO NOT DISASSEMBLE OR TAMPER.

## C: STEERING WHEEL WARNING

**WARNING** **SRS**  
 BEFORE INSTALLING STEERING WHEEL:

- CENTER THE FRONT WHEELS.
- ALIGN THE MARKS. (CABLE REEL)
- READ SERVICE MANUAL.

## D: BULKHEAD WARNING

**WARNING** **SRS**  
 THIS VEHICLE IS EQUIPPED WITH A DRIVER AIRBAG AS A SUPPLEMENTAL RESTRAINT SYSTEM. (SRS)  
 ALL SRS ELECTRICAL WIRING AND CONNECTORS ARE COLORED YELLOW.  
 DO NOT USE ELECTRICAL TEST EQUIPMENT ON THESE CIRCUITS. TAMPERING WITH OR DISCONNECTING THE SRS WIRING COULD RESULT IN ACCIDENTAL FIRING OF THE INFLATOR OR MAKE THE SYSTEM INOPERATIVE, WHICH MAY RESULT IN SERIOUS INJURY.



E: MODULE WARNING

**WARNING** **SRS**  
TO PREVENT ACCIDENTAL DEPLOYMENT AND POSSIBLE INJURY:  
ALWAYS INSTALL THE PROTECTIVE SHORT CONNECTOR ON THE INFLATOR CONNECTOR WHEN THE HARNESS IS DISCONNECTED.  
UNDER NO CIRCUMSTANCES SHOULD DIAGNOSIS BE PERFORMED USING ELECTRICAL TEST EQUIPMENT OR PROBING DEVICES.  
NO SERVICEABLE PARTS INSIDE. DO NOT DISASSEMBLE OR TAMPER.  
STORE THE REMOVED AIRBAG ASSEMBLY WITH THE PAD SURFACE UP.  
FOR SPECIAL HANDLING OR STORAGE REFER TO THE ACURA SERVICE MANUAL.  
DISPOSE OF THE ENTIRE UNIT AS DIRECTED.

F: DRIVER INFORMATION

**SRS** ALWAYS WEAR YOUR SEAT BELT

- THIS CAR IS EQUIPPED WITH A DRIVER AIRBAG AS A SUPPLEMENTAL RESTRAINT SYSTEM (SRS)
- IT IS DESIGNED TO SUPPLEMENT THE SEAT BELT.
- BEFORE DRIVING READ LABEL INSIDE THE GLOVE BOX.

G: SRS UNIT CAUTION

**CAUTION** **SRS**

- NO SERVICEABLE PARTS INSIDE.
- DO NOT DISASSEMBLE OR TAMPER.
- DO NOT DROP.
- STORE IN A CLEAN, DRY AREA.

H: STEERING COLUMN CAUTION

**CAUTION** **SRS**  
TO AVOID DAMAGING THE SRS CABLE OR REEL, WHICH COULD MAKE THE SYSTEM INOPERATIVE. REMOVE THE STEERING WHEEL BEFORE REMOVING THE STEERING SHAFT CONNECTOR BOLT.

I: POCKET INFORMATION

**DRIVER'S AIRBAG INFORMATION** **SRS**

- SUPPLEMENTAL RESTRAINT SYSTEM (SRS) CAN PROVIDE ADDITIONAL PROTECTION FOR THE DRIVER IN A FRONTAL COLLISION. A FUNCTIONAL DESCRIPTION OF THE SRS IS IN YOUR OWNER'S MANUAL.
- THE SYSTEM MUST BE INSPECTED TEN YEARS AFTER DATE OF MANUFACTURE, AS NOTED ON THE CERTIFICATION PLATE.
- ANY REPAIR, INSPECTION OR NEARBY ACCESSORY INSTALLTION SHOULD BE DONE BY AN ACURA DEALER.
- IF YOUR SRS INDICATOR:  
LIGHTS WHILE DRIVING OR FLASHES;  
FAILS TO LIGHT OR STAYS ON AFTER THE IGNITION IS FIRST TURNED ON:  
SEE YOUR AUTHORIZED ACURA DEALER.

J: STEERING WHEEL WARNING

**WARNING** **SRS**  
TO PREVENT ACCIDENTAL DEPLOYMENT AND POSSIBLE INJURY:  
ALWAYS INSTALL THE PROTECTIVE SHORT CONNECTOR ON THE INFLATOR CONNECTOR WHEN THE HARNESS IS DISCONNECTED.

K: LABEL **AIRBAG**

L: INFLATOR LABEL

**DANGER** CONTAINS SODIUM AZIDE AND POTASSIUM NITRATE.  
CONTENTS ARE EXTREMELY FLAMMABLE.  
DO NOT DISMANTLE OR INCINERATE.  
DO NOT PROBE WITH ELECTRICAL DEVICES.

M: INFLATOR COVER LABEL

**DANGER**  
**EXPLOSIVE/FLAMMABLE** **SRS**  
CONTACT WITH ACID, WATER, OR HEAVYMETALS SUCH AS COPPER, LEAD, OR MERCURY, MAY PRODUCE HARMFUL AND IRRITATING GASES OR EXPLOSIVE COMPOUNDS. STORAGE TEMPERATURES MUST NOT EXCEED 200°F. FOR PROPER HANDLING, STORAGE, AND DISPOSAL PROCEDURES REFER TO THE ACURA SERVICE MANUAL, SRS SUPPLEMENT.  
**POISON**  
CONTAINS POISONOUS SODIUM AZIDE AND POTASSIUM NITRATE.  
**FIRST AID:**  
IF CONTENTS ARE SWALLOWED, INDUCE VOMITING.  
FOR EYE CONTACT, FLUSH EYES WITH WATER FOR 15 MINUTES. IF GASES (FROM ACID OR WATER CONTACT) AIR INHALED, SEEK FRESH AIR. IN EVERY CASE, GET PROMPT MEDICAL ATTENTION.  
KEEP OUT OF REACH OF CHILDREN.